

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

## **Supply and Delivery of Materials for the Construction of Cemetery Communal Comfort Room**

Government of the Republic of the Philippines

**Sixth Edition  
July 2020**

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>10</b>
1. Scope of Bid .....	11
2. Funding Information.....	11
3. Bidding Requirements .....	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	11
5. Eligible Bidders.....	11
6. Origin of Goods .....	12
7. Subcontracts .....	12
8. Pre-Bid Conference .....	12
9. Clarification and Amendment of Bidding Documents .....	12
10. Documents comprising the Bid: Eligibility and Technical Components .....	12
11. Documents comprising the Bid: Financial Component .....	13
12. Bid Prices .....	13
13. Bid and Payment Currencies .....	14
14. Bid Security .....	14
15. Sealing and Marking of Bids .....	14
16. Deadline for Submission of Bids .....	14
17. Opening and Preliminary Examination of Bids .....	15
18. Domestic Preference .....	15
19. Detailed Evaluation and Comparison of Bids .....	15
20. Post-Qualification .....	16
21. Signing of the Contract .....	16
<b>Section III. Bid Data Sheet .....</b>	<b>17</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>19</b>
1. Scope of Contract .....	20
2. Advance Payment and Terms of Payment .....	20
3. Performance Security .....	20
4. Inspection and Tests .....	20
5. Warranty .....	21
6. Liability of the Supplier .....	21
<b>Section V. Special Conditions of Contract .....</b>	<b>22</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>27</b>
<b>Section VII. Technical Specifications .....</b>	<b>27</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>42</b>

# ***Glossary of Acronyms, Terms, and Abbreviations***

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





**Republic of the Philippines  
Province of Oriental Mindoro  
MUNICIPALITY OF GLORIA**

**INVITATION TO BID  
ITB No. 2022-025**

**Supply and Delivery of Materials for the Construction of Cemetery Communal Comfort Room**

1. The **Municipality of Gloria**, through the **Annual Budget 2022 under the Office of the Municipal Mayor-Cemetery Operations Unit** intends to apply the sum of **Five Hundred Fifty-Eight Thousand Pesos (Php 558,000.00)** being the ABC to payments under the contract for **Supply and Delivery of Materials for the Construction of Cemetery Communal Comfort Room**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The Municipality of Gloria, now invites bids for the above Procurement Project. Delivery of the Goods is required within **thirty days (30 days)**. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.


Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from the Municipality of Gloria and inspect the Bidding Documents at the address given below during office hours from 8:00 am to 5:00 pm.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **September 7-16, 2022** from the given address and website(s) below upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, the amount of **One Thousand Pesos (Php 1,000.00)**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.
6. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **September 16, 2022 at 1:00 pm**. Late bids shall not be accepted.
7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

8. Bid opening shall be on **September 16, 2022 @ 3:00 pm, Municipal Executive Conference Room 2, 2<sup>nd</sup> floor of Municipal main building**. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
9. The Municipality of Gloria reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
10. For further information, please refer to:

  
**ENGR. MARIECHELLE A. PEREZ**  
BAC Secretariat  
Municipality of Gloria  
bacoffice3@yahoo.com

11. You may visit the Agency Website:  
  
[www.gloria.gov.ph](http://www.gloria.gov.ph)

*Date of Issue: September 7, 2022*

  
**MANULITO S. RORIGUEZ**  
BAC Chairperson  
Municipality of Gloria

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## **1. Scope of Bid**

The Procuring Entity, Municipality of Gloria wishes to receive Bids for the **Supply and Delivery of Materials for the Construction of Cemetery Communal Comfort Room** with identification number **ITB NO. 2022-025**.

## **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for **Annual Budget 2022 under the Office of the Municipal Mayor-Cemetery Operations Unit** intends to apply the sum of **Five Hundred Fifty-Eight Thousand Pesos (Php 558,000.00)**.

2.2. The source of funding is:.

**LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.**

## **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the

value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

- 5.3. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

## **8. Pre-Bid Conference**

Not applicable.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within three (3) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the

appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

#### 12.2. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

#### 13.2. Payment of the contract price shall be made in:

- a. Philippine Pesos.

### 13. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **within 120 days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive..

### 14. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### 15. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time at its physical address as indicated in paragraph 7 of the **IB**.

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

## 16. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## 17. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

### 18.2. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the



committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **18. Post-Qualification**

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **19. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> <li>a. Projects related to <b>Construction Materials</b></li> </ul>
7.1	Not applicable
12	The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: <ul style="list-style-type: none"> <li>a. The amount of not less than <b>Php 11,160.00</b> (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee, or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php. 27,900.00</b>, (5%) of ABC if bid security is in Surety Bond.</li> </ul>
19.3	Not applicable
20.2	Not applicable
21.2	Not applicable

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### **4. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### **5. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><i>No additional documents required</i></p> <p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contract are delivered <i>in the Municipality of Gloria.</i> Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <b>Manulito S. Rodriguez.</b></p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ul style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ul>
	<ul style="list-style-type: none"> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ul>



	<p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p><b>Spare Parts –</b></p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ul style="list-style-type: none"> <li>a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>b. in the event of termination of production of the spare parts: <ul style="list-style-type: none"> <li>i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and</li> <li>ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.</li> </ul> </li> </ul> <p>The spare parts and other components required are listed in <b>Section VI (Schedule of Requirements)</b> and the cost thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of <i>(Not Applicable)</i></p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within month/s of placing the order.</p>
	<p><b>Packaging –</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p>

	<p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity  Name of the Supplier  Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic</p>

	<p>Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	Not applicable
4	<p>The inspections and tests that will be conducted are:</p> <ol style="list-style-type: none"> <li>a. manual inspection of goods prior to delivery if it is in good condition and in accordance to specifications.</li> </ol>

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Portland Cement Type 1P	263		Within 30 days upon receipt of Notice to Proceed
2	Fine Washed Sand	15		
3	Crushed Gravel 3/4"	12		
4	10mm dia. X 6.0m RSB STD.	213		
5	12mm dia. X 6.0m RSB STD.	109		
6	G.I. Tie Wire #16	62		
7	Cutting Disc 14"	1		
8	2" x 3" x 12' Coco Lumber	720		
9	½" x 4' x 8' Phenolic Board	12		
10	CWN #4	15		
11	CWN #2	8		
12	CHB #4"	1434		
13	Sand Screen 1/8"	2		
14	1/4"x2" Angle Bar	10		
15	3/16"x1-1/2" Angle Bar (cleats)	2		
16	2"x3"x1.5mm thk C-Purlins	10		
17	Welding Rod 6013	9		
18	Cutting Disc 4"	10		
19	Expoxy Primer w/ red.	2		
20	Paint Brush # 2"	2		
21	Laquer Thinner	1		
22	Longspan Multi-Rip Type Roofing 0.4mm thk L=3.8m	9		
23	Capping 24" x 8'	5		
24	Wall Flashing 16" x 8'	4		
25	Box type Gutter 24" x 8' x .5mm	5		
26	Metal Textscrew 2½	395		
27	Blind rivets 1/8" x ½"	2.5		
28	Metal Drill Bit 1/8"	3		
29	Silicon Sealant	2		
30	Roof Sealant	2		
31	Concrete Nail #1½"	1		
32	3"Ø PVC Orange Downspout	3		
33	3" Ø PVC Elbow	4		
34	Wall Angle	25		
35	Metal Furring	16		

36	Carrying Channel	10	
37	W-Clip	54	
38	Fiber Cement Board 4.5mm thk	12	
39	Concrete Nail #1"	1	
40	D -1, (0.90m x 2.10m) Flush Door	3	
41	Lever Type Lockset	3	
42	( 3½" x 3½") Loose pin hinges	5	
43	W - 1, (145m x .4m) Clear Glass aluminum Frame	2	
44	W - 1, (70m x .4m) Clear glass Aluminum frame	1	
45	Top-Inlet Flush Valve Type Water Closet With Seat And Cover w/warranty protected	5	
46	Floor Mounted Lavatory	6	
47	Wall Hang Lavatory	1	
48	Wall Hang Urinal	4	
49	4" x 4" Floor Drain	6	
	<i>VII-II Sewer Line:</i>		
50	4" dia. PVC Pipe	5	
51	4" dia.PVC Wye	5	
52	4" dia.PVC Clean Out Plug	1	
53	4" x 2" PVCWye	4	
54	2" dia. X 45° PVC Bend Elbow	4	
55	2" dia. X 90° PVC Bend Elbow	16	
56	2" x 2" PVC Tee	6	
57	2" PVC Pipe	10	
58	4" dia. X 45° PVC Bend Elbow	2	
59	2" dia. PVC P-Trap	6	
60	Solvent Cement 400 cc	1	
61	1" x 3.0m PVC Pipe	10	
62	1" 90 deg. Bend elbow	6	
63	1" dia. Tee	1	
64	1" dia. Gate valve	1	
65	½" dia. Gate valve	3	
66	1½" 90 deg. Bend elbow	20	
67	1' x ½" Tee reducer	16	
68	1½" female threaded adaptor	16	
69	Teflon Tape	5	
70	4"Ø PVC Pipe Black	15	
71	24" x 24" Glazed Wall Tiles	212	
72	24" x 24" Unglazed Floor Tiles	67	
73	24" x 24" Granite Tiles	9	
74	Tile Adhesive	15	
75	Fine Washed Sand	3	
76	Tile Groute	2	
77	Diamond Cutting Disc	2	

78	2" x 4" Utility Boxes Pvc	10	
79	4" x 4" Junction Boxes PVC	14	
80	1/2" PVC Pipe orange	15	
81	Solvent Cement	1	
82	2.0mm <sup>2</sup> THW Stranded	75	
83	3.5mm <sup>2</sup> THW Stranded	75	
84	Electrical Tape (Big)	1	
85	Panel Board (Circuit Breaker w/4 branches )	1	
86	30A Circuit Breaker	1	
87	20A Circuit Breaker	1	
88	15A Circuit Breaker	1	
89	9 watts LED encandecent Bulb	13	
90	2 Gang Switch with Plate	6	
91	1 Gang Switch with Plate	1	
92	Pin Light+B350	13	
93	Duplex Convenience Outlet w/ plate and cover	2	
94	Acrytex Primer	1	
95	Acrytex Reducer	2	
96	Patching Compound	25	
97	Flat Latex White	2	
98	Semi-Gloss Latex White	2	
99	Acry Color Raw Siena	1	
100	Acry Color Red	1	
101	Acry Color Blue	1	
102	Paint Brush 2"	5	
103	Roller Brush 6" with Pan	5	
104	Paleta	2	
105	Spatula	2	
106	Sandpaper #100	15	
107	1-1/2" ø Stainless Grab Bars	1	
108	MDF Toilet and Urinal Partitions w/ complete accessories	13	
109	180cm x 90cm x 1/4" Thk Frameless Mirror	2	

I HEREBY certify to comply and deliver all the above requirements.

\_\_\_\_\_  
Name of Bidder/Supplier

\_\_\_\_\_  
Signature Over Printed Name of  
Owner or Authorized Representative

\_\_\_\_\_  
Date

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.



# Technical Specifications

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Portland Cement Type 1P	263		Within 30 days upon receipt of Notice to Proceed
2	Fine Washed Sand	15		
3	Crushed Gravel 3/4"	12		
4	10mm dia. X 6.0m RSB STD.	213		
5	12mm dia. X 6.0m RSB STD.	109		
6	G.I. Tie Wire #16	62		
7	Cutting Disc 14"	1		
8	2" x 3" x 12' Coco Lumber	720		
9	½" x 4' x 8' Phenolic Board	12		
10	CWN #4	15		
11	CWN #2	8		
12	CHB #4"	1434		
13	Sand Screen 1/8"	2		
14	1/4"x2" Angle Bar	10		
15	3/16"x1-1/2" Angle Bar (cleats)	2		
16	2"x3"x1.5mm thk C-Purlins	10		
17	Welding Rod 6013	9		
18	Cutting Disc 4"	10		
19	Expoxy Primer w/ red.	2		
20	Paint Brush # 2"	2		
21	Laquer Thinner	1		
22	Longspan Multi-Rip Type Roofing 0.4mm thk L=3.8m	9		
23	Capping 24" x 8'	5		
24	Wall Flashing 16" x 8'	4		
25	Box type Gutter 24" x 8' x .5mm	5		
26	Metal Textscrew 2½	395		
27	Blind rivets 1/8" x ½"	2.5		
28	Metal Drill Bit 1/8"	3		
29	Silicon Sealant	2		
30	Roof Sealant	2		
31	Concrete Nail #1½"	1		
32	3"Ø PVC Orange Downspout	3		
33	3" Ø PVC Elbow	4		
34	Wall Angle	25		
35	Metal Furring	16		
36	Carrying Channel	10		

37	W-Clip	54	
38	Fiber Cement Board 4.5mm thk	12	
39	Concrete Nail #1"	1	
40	D -1, (0.90m x 2.10m) Flush Door	3	
41	Lever Type Lockset	3	
42	( 3½" x 3½") Loose pin hinges	5	
43	W - 1, (145m x .4m) Clear Glass aluminum Frame	2	
44	W - 1, (70m x .4m) Clear glass Aluminum frame	1	
45	Top-Inlet Flush Valve Type Water Closet With Seat And Cover w/warranty protected	5	
46	Floor Mounted Lavatory	6	
47	Wall Hang Lavatory	1	
48	Wall Hang Urinal	4	
49	4" x 4" Floor Drain	6	
	<i>VII-II Sewer Line:</i>		
50	4" dia. PVC Pipe	5	
51	4" dia.PVC Wye	5	
52	4" dia.PVC Clean Out Plug	1	
53	4" x 2" PVCWye	4	
54	2" dia. X 45° PVC Bend Elbow	4	
55	2" dia. X 90° PVC Bend Elbow	16	
56	2" x 2" PVC Tee	6	
57	2" PVC Pipe	10	
58	4" dia. X 45° PVC Bend Elbow	2	
59	2" dia. PVC P-Trap	6	
60	Solvent Cement 400 cc	1	
61	1" x 3.0m PVC Pipe	10	
62	1" 90 deg. Bend elbow	6	
63	1" dia. Tee	1	
64	1" dia. Gate valve	1	
65	½" dia. Gate valve	3	
66	1½" 90 deg. Bend elbow	20	
67	1' x ½" Tee reducer	16	
68	1½" female threaded adaptor	16	
69	Teflon Tape	5	
70	4"ø PVC Pipe Black	15	
71	24" x 24" Glazed Wall Tiles	212	
72	24" x 24" Unglazed Floor Tiles	67	
73	24" x 24" Granite Tiles	9	
74	Tile Adhesive	15	
75	Fine Washed Sand	3	
76	Tile Groute	2	
77	Diamond Cutting Disc	2	
78	2" x 4" Utility Boxes Pvc	10	

79	4" x 4" Junction Boxes PVC	14		
80	1/2" PVC Pipe orange	15		
81	Solvent Cement	1		
82	2.0mm <sup>2</sup> THW Stranded	75		
83	3.5mm <sup>2</sup> THW Stranded	75		
84	Electrical Tape (Big)	1		
85	Panel Board (Circuit Breaker w/4 branches )	1		
86	30A Circuit Breaker	1		
87	20A Circuit Breaker	1		
88	15A Circuit Breaker	1		
89	9 watts LED encandecent Bulb	13		
90	2 Gang Switch with Plate	6		
91	1 Gang Switch with Plate	1		
92	Pin Light+B350	13		
93	Duplex Convenience Outlet w/ plate and cover	2		
94	Acrytex Primer	1		
95	Acrytex Reducer	2		
96	Patching Compound	25		
97	Flat Latex White	2		
98	Semi-Gloss Latex White	2		
99	Acry Color Raw Siena	1		
100	Acry Color Red	1		
101	Acry Color Blue	1		
102	Paint Brush 2"	5		
103	Roller Brush 6" with Pan	5		
104	Paleta	2		
105	Spatula	2		
106	Sandpaper #100	15		
107	1-1/2" ø Stainless Grab Bars	1		
108	MDF Toilet and Urinal Partitions w/ complete accessories	13		
109	180cm x 90cm x 1/4" Thk Frameless Mirror	2		

---

Name of Bidder/Supplier


---

Signature Over Printed Name of  
Owner or Authorized Representative

---

Date

# Section VIII. Drawings




PERSPECTIVE



VICINITY MAP

VICINITY MAP




SITE DEVELOPMENT PLAN


<p>ALL DRAWINGS ARE TO BE APPROVED BY THE ENGINEER IN CHARGE OF THE PROJECT AND THE ENGINEER IN CHARGE OF THE PROJECT.</p>	<p>PREPARED BY: ENGR. MANLOU V. FERRAS ENGINEER-ENR. II</p>	<p>PROJECT: CONSTRUCTION OF COMBINED COMMUNAL OR LOCATION: BULOAGAY, BULAGAY, BULAGAY, BULAGAY, BULAGAY</p>	<p>CHECKED BY: ENGR. VICENTE BENITO O. PINZALAN Municipal Engineer</p>	<p>VERIFIED BY: DT CEISO S. SEMILLA JR. Engr. MPCO</p>	<p>APPROVED BY: HON. EDUARDO D. RODRIGUEZ MUNICIPAL MAYOR</p>	<p>SHEET NUMBER A-1</p>
--	---	---	--	--	---	-----------------------------









**FRONT VIEW**  
SCALE: 1:100



**LONGITUDINAL SECTION**  
SCALE: 1:100



**CROSS - SECTION**  
SCALE: 1:100



**ROOF FRAMING DETAILS**  
SCALE: 1:100

<p>PREPARED BY:</p> <p>ENGR. WILSON V. PULAS</p> <p>ENGINEER NO. 11</p>	<p>PROJECT:</p> <p>CONSTRUCTION OF CEMETERY COMMUNITY CH</p> <p>LOCATION:</p> <p>870 BRUNSON WALKER ROAD, CANTON, MICHIGAN</p>	<p>CHECKED BY:</p> <p>ENGR. VICTORIO SERRANO O. PUNZALAN</p> <p>Municipal Engineer</p>	<p>VERIFIED BY:</p> <p>CELSO S. SEMILLAR, JR. Engr.</p> <p>MPOC</p>	<p>APPROVED BY:</p> <p>HON. JERIMAN D. RODRIGUEZ</p> <p>MUNICIPAL MAYOR</p>	<p>SHEET NUMBER</p> <p>A-3</p>
---	--	--	---	---	--------------------------------

# NATURAL DESIGN CRITERIA

## CODES AND STANDARDS

1. CONSTRUCTION STANDARDS
2. DESIGN STANDARDS
3. MATERIAL STANDARDS
4. TESTING STANDARDS
5. DESIGN STANDARDS
6. TESTING STANDARDS
7. DESIGN STANDARDS
8. TESTING STANDARDS
9. DESIGN STANDARDS
10. TESTING STANDARDS
11. DESIGN STANDARDS
12. TESTING STANDARDS
13. DESIGN STANDARDS
14. TESTING STANDARDS
15. DESIGN STANDARDS
16. TESTING STANDARDS
17. DESIGN STANDARDS
18. TESTING STANDARDS
19. DESIGN STANDARDS
20. TESTING STANDARDS
21. DESIGN STANDARDS
22. TESTING STANDARDS
23. DESIGN STANDARDS
24. TESTING STANDARDS
25. DESIGN STANDARDS
26. TESTING STANDARDS
27. DESIGN STANDARDS
28. TESTING STANDARDS
29. DESIGN STANDARDS
30. TESTING STANDARDS
31. DESIGN STANDARDS
32. TESTING STANDARDS
33. DESIGN STANDARDS
34. TESTING STANDARDS
35. DESIGN STANDARDS
36. TESTING STANDARDS
37. DESIGN STANDARDS
38. TESTING STANDARDS
39. DESIGN STANDARDS
40. TESTING STANDARDS
41. DESIGN STANDARDS
42. TESTING STANDARDS
43. DESIGN STANDARDS
44. TESTING STANDARDS
45. DESIGN STANDARDS
46. TESTING STANDARDS
47. DESIGN STANDARDS
48. TESTING STANDARDS
49. DESIGN STANDARDS
50. TESTING STANDARDS
51. DESIGN STANDARDS
52. TESTING STANDARDS
53. DESIGN STANDARDS
54. TESTING STANDARDS
55. DESIGN STANDARDS
56. TESTING STANDARDS
57. DESIGN STANDARDS
58. TESTING STANDARDS
59. DESIGN STANDARDS
60. TESTING STANDARDS
61. DESIGN STANDARDS
62. TESTING STANDARDS
63. DESIGN STANDARDS
64. TESTING STANDARDS
65. DESIGN STANDARDS
66. TESTING STANDARDS
67. DESIGN STANDARDS
68. TESTING STANDARDS
69. DESIGN STANDARDS
70. TESTING STANDARDS
71. DESIGN STANDARDS
72. TESTING STANDARDS
73. DESIGN STANDARDS
74. TESTING STANDARDS
75. DESIGN STANDARDS
76. TESTING STANDARDS
77. DESIGN STANDARDS
78. TESTING STANDARDS
79. DESIGN STANDARDS
80. TESTING STANDARDS
81. DESIGN STANDARDS
82. TESTING STANDARDS
83. DESIGN STANDARDS
84. TESTING STANDARDS
85. DESIGN STANDARDS
86. TESTING STANDARDS
87. DESIGN STANDARDS
88. TESTING STANDARDS
89. DESIGN STANDARDS
90. TESTING STANDARDS
91. DESIGN STANDARDS
92. TESTING STANDARDS
93. DESIGN STANDARDS
94. TESTING STANDARDS
95. DESIGN STANDARDS
96. TESTING STANDARDS
97. DESIGN STANDARDS
98. TESTING STANDARDS
99. DESIGN STANDARDS
100. TESTING STANDARDS

## DESIGN LOADS

1. DEAD LOADS
2. LIVE LOADS
3. WIND LOADS
4. SEISMIC LOADS
5. TEMPERATURE LOADS
6. IMPACT LOADS
7. COLLISION LOADS
8. ICE LOADS
9. SNOW LOADS
10. HAIL LOADS
11. FLOOD LOADS
12. WAVE LOADS
13. CURRENT LOADS
14. ICEBERG LOADS
15. ROCK LOADS
16. LOG LOADS
17. LIMB LOADS
18. FISH LOADS
19. CRAB LOADS
20. SHELLFISH LOADS
21. MARINE MAMMALS LOADS
22. BIRDS LOADS
23. INSECTS LOADS
24. PLANTS LOADS
25. SOIL LOADS
26. ROCK LOADS
27. GLASS LOADS
28. CERAMIC LOADS
29. METAL LOADS
30. WOOD LOADS
31. PLASTIC LOADS
32. RUBBER LOADS
33. GLASS LOADS
34. CERAMIC LOADS
35. METAL LOADS
36. WOOD LOADS
37. PLASTIC LOADS
38. RUBBER LOADS
39. GLASS LOADS
40. CERAMIC LOADS
41. METAL LOADS
42. WOOD LOADS
43. PLASTIC LOADS
44. RUBBER LOADS
45. GLASS LOADS
46. CERAMIC LOADS
47. METAL LOADS
48. WOOD LOADS
49. PLASTIC LOADS
50. RUBBER LOADS
51. GLASS LOADS
52. CERAMIC LOADS
53. METAL LOADS
54. WOOD LOADS
55. PLASTIC LOADS
56. RUBBER LOADS
57. GLASS LOADS
58. CERAMIC LOADS
59. METAL LOADS
60. WOOD LOADS
61. PLASTIC LOADS
62. RUBBER LOADS
63. GLASS LOADS
64. CERAMIC LOADS
65. METAL LOADS
66. WOOD LOADS
67. PLASTIC LOADS
68. RUBBER LOADS
69. GLASS LOADS
70. CERAMIC LOADS
71. METAL LOADS
72. WOOD LOADS
73. PLASTIC LOADS
74. RUBBER LOADS
75. GLASS LOADS
76. CERAMIC LOADS
77. METAL LOADS
78. WOOD LOADS
79. PLASTIC LOADS
80. RUBBER LOADS
81. GLASS LOADS
82. CERAMIC LOADS
83. METAL LOADS
84. WOOD LOADS
85. PLASTIC LOADS
86. RUBBER LOADS
87. GLASS LOADS
88. CERAMIC LOADS
89. METAL LOADS
90. WOOD LOADS
91. PLASTIC LOADS
92. RUBBER LOADS
93. GLASS LOADS
94. CERAMIC LOADS
95. METAL LOADS
96. WOOD LOADS
97. PLASTIC LOADS
98. RUBBER LOADS
99. GLASS LOADS
100. CERAMIC LOADS

## II. CONSTRUCTION NOTES:


1. GENERAL
2. FOUNDATION
3. WALLS
4. FLOORS
5. ROOFS
6. STAIRS
7. ELEVATORS
8. MECHANICAL
9. ELECTRICAL
10. PIPING
11. GLASS
12. CERAMIC
13. METAL
14. WOOD
15. PLASTIC
16. RUBBER
17. GLASS
18. CERAMIC
19. METAL
20. WOOD
21. PLASTIC
22. RUBBER
23. GLASS
24. CERAMIC
25. METAL
26. WOOD
27. PLASTIC
28. RUBBER
29. GLASS
30. CERAMIC
31. METAL
32. WOOD
33. PLASTIC
34. RUBBER
35. GLASS
36. CERAMIC
37. METAL
38. WOOD
39. PLASTIC
40. RUBBER
41. GLASS
42. CERAMIC
43. METAL
44. WOOD
45. PLASTIC
46. RUBBER
47. GLASS
48. CERAMIC
49. METAL
50. WOOD
51. PLASTIC
52. RUBBER
53. GLASS
54. CERAMIC
55. METAL
56. WOOD
57. PLASTIC
58. RUBBER
59. GLASS
60. CERAMIC
61. METAL
62. WOOD
63. PLASTIC
64. RUBBER
65. GLASS
66. CERAMIC
67. METAL
68. WOOD
69. PLASTIC
70. RUBBER
71. GLASS
72. CERAMIC
73. METAL
74. WOOD
75. PLASTIC
76. RUBBER
77. GLASS
78. CERAMIC
79. METAL
80. WOOD
81. PLASTIC
82. RUBBER
83. GLASS
84. CERAMIC
85. METAL
86. WOOD
87. PLASTIC
88. RUBBER
89. GLASS
90. CERAMIC
91. METAL
92. WOOD
93. PLASTIC
94. RUBBER
95. GLASS
96. CERAMIC
97. METAL
98. WOOD
99. PLASTIC
100. RUBBER

## CONCRETE


1. GENERAL
2. FOUNDATION
3. WALLS
4. FLOORS
5. ROOFS
6. STAIRS
7. ELEVATORS
8. MECHANICAL
9. ELECTRICAL
10. PIPING
11. GLASS
12. CERAMIC
13. METAL
14. WOOD
15. PLASTIC
16. RUBBER
17. GLASS
18. CERAMIC
19. METAL
20. WOOD
21. PLASTIC
22. RUBBER
23. GLASS
24. CERAMIC
25. METAL
26. WOOD
27. PLASTIC
28. RUBBER
29. GLASS
30. CERAMIC
31. METAL
32. WOOD
33. PLASTIC
34. RUBBER
35. GLASS
36. CERAMIC
37. METAL
38. WOOD
39. PLASTIC
40. RUBBER
41. GLASS
42. CERAMIC
43. METAL
44. WOOD
45. PLASTIC
46. RUBBER
47. GLASS
48. CERAMIC
49. METAL
50. WOOD
51. PLASTIC
52. RUBBER
53. GLASS
54. CERAMIC
55. METAL
56. WOOD
57. PLASTIC
58. RUBBER
59. GLASS
60. CERAMIC
61. METAL
62. WOOD
63. PLASTIC
64. RUBBER
65. GLASS
66. CERAMIC
67. METAL
68. WOOD
69. PLASTIC
70. RUBBER
71. GLASS
72. CERAMIC
73. METAL
74. WOOD
75. PLASTIC
76. RUBBER
77. GLASS
78. CERAMIC
79. METAL
80. WOOD
81. PLASTIC
82. RUBBER
83. GLASS
84. CERAMIC
85. METAL
86. WOOD
87. PLASTIC
88. RUBBER
89. GLASS
90. CERAMIC
91. METAL
92. WOOD
93. PLASTIC
94. RUBBER
95. GLASS
96. CERAMIC
97. METAL
98. WOOD
99. PLASTIC
100. RUBBER

## STRUCTURAL STEEL

1. GENERAL
2. FOUNDATION
3. WALLS
4. FLOORS
5. ROOFS
6. STAIRS
7. ELEVATORS
8. MECHANICAL
9. ELECTRICAL
10. PIPING
11. GLASS
12. CERAMIC
13. METAL
14. WOOD
15. PLASTIC
16. RUBBER
17. GLASS
18. CERAMIC
19. METAL
20. WOOD
21. PLASTIC
22. RUBBER
23. GLASS
24. CERAMIC
25. METAL
26. WOOD
27. PLASTIC
28. RUBBER
29. GLASS
30. CERAMIC
31. METAL
32. WOOD
33. PLASTIC
34. RUBBER
35. GLASS
36. CERAMIC
37. METAL
38. WOOD
39. PLASTIC
40. RUBBER
41. GLASS
42. CERAMIC
43. METAL
44. WOOD
45. PLASTIC
46. RUBBER
47. GLASS
48. CERAMIC
49. METAL
50. WOOD
51. PLASTIC
52. RUBBER
53. GLASS
54. CERAMIC
55. METAL
56. WOOD
57. PLASTIC
58. RUBBER
59. GLASS
60. CERAMIC
61. METAL
62. WOOD
63. PLASTIC
64. RUBBER
65. GLASS
66. CERAMIC
67. METAL
68. WOOD
69. PLASTIC
70. RUBBER
71. GLASS
72. CERAMIC
73. METAL
74. WOOD
75. PLASTIC
76. RUBBER
77. GLASS
78. CERAMIC
79. METAL
80. WOOD
81. PLASTIC
82. RUBBER
83. GLASS
84. CERAMIC
85. METAL
86. WOOD
87. PLASTIC
88. RUBBER
89. GLASS
90. CERAMIC
91. METAL
92. WOOD
93. PLASTIC
94. RUBBER
95. GLASS
96. CERAMIC
97. METAL
98. WOOD
99. PLASTIC
100. RUBBER




TYPICAL CHB CONNECTION DETAIL



TYPICAL LINTEL BEAM DETAIL

TYPICAL CONSTRUCTION JOINT DETAIL



MINIMUM REQUIREMENT FOR DEVELOPMENT LENGTH

Bar Size	Development Length (in)	Development Length (ft)
1/4	12	1
3/8	18	1.5
1/2	24	2
5/8	30	2.5
3/4	36	3
7/8	42	3.5
1	48	4
1 1/4	60	5
1 1/2	72	6
1 3/4	84	7
2	96	8

Bar Size	Development Length (in)	Development Length (ft)
1/4	12	1
3/8	18	1.5
1/2	24	2
5/8	30	2.5
3/4	36	3
7/8	42	3.5
1	48	4
1 1/4	60	5
1 1/2	72	6
1 3/4	84	7
2	96	8

1. GENERAL

2. FOUNDATION

3. WALLS

4. FLOORS

5. ROOFS

6. STAIRS

7. ELEVATORS

8. MECHANICAL

9. ELECTRICAL

10. PIPING

11. GLASS

12. CERAMIC

13. METAL

14. WOOD

15. PLASTIC

16. RUBBER

17. GLASS

18. CERAMIC

19. METAL

20. WOOD

21. PLASTIC

22. RUBBER

23. GLASS

24. CERAMIC

25. METAL

26. WOOD

27. PLASTIC

28. RUBBER

29. GLASS

30. CERAMIC

31. METAL

32. WOOD

33. PLASTIC

34. RUBBER

35. GLASS

36. CERAMIC

37. METAL

38. WOOD

39. PLASTIC

40. RUBBER

41. GLASS

42. CERAMIC

43. METAL

44. WOOD

45. PLASTIC

46. RUBBER

47. GLASS

48. CERAMIC

49. METAL

50. WOOD

51. PLASTIC

52. RUBBER

53. GLASS

54. CERAMIC

55. METAL

56. WOOD

57. PLASTIC

58. RUBBER

59. GLASS

60. CERAMIC

61. METAL

62. WOOD

63. PLASTIC

64. RUBBER

65. GLASS

66. CERAMIC

67. METAL

68. WOOD

69. PLASTIC

70. RUBBER

71. GLASS

72. CERAMIC

73. METAL

74. WOOD

75. PLASTIC

76. RUBBER

77. GLASS

78. CERAMIC

79. METAL

80. WOOD

81. PLASTIC

82. RUBBER

83. GLASS

84. CERAMIC

85. METAL

86. WOOD

87. PLASTIC

88. RUBBER

89. GLASS

90. CERAMIC

91. METAL

92. WOOD

93. PLASTIC

94. RUBBER

95. GLASS

96. CERAMIC

97. METAL

98. WOOD

99. PLASTIC

100. RUBBER

101. GLASS

102. CERAMIC

103. METAL



104. WOOD

105. PLASTIC

106. RUBBER



TO MRS. T. C. H. CONTAL  
EARS BERRY 3 CUB  
JACK



**TYPICAL BEAM SECTION**  
SCALE: NTS

B E A M   S C H E D U L E										
FLOOR LEVEL	BEAM MARK	BEAM DIMENSIONS (ft/inches)	STEEL REINFORCEMENTS						STIRRUPS #10mm (UNLESS NOTED OTHERWISE)	
			REBAR (mm <sup>2</sup> )	LEFT		MID SPAN		RIGHT		
				TOP	BOTTOM	TOP	BOTTOM	TOP		BOTTOM
RG-1		150      300	Ø12mm	2	2	2	2	2	2	5Ø80, 3Ø100, 1Ø150, RES@200

<p>ALL SIGNATURES ARE TO BE CAPED IN BLUE INK AND ALL STAMPS MUST BE IN BLUE INK.</p> <p>FOR THE CONTRACTOR:</p>  <p>ENGR. MARLOU V. PIRAS</p> <p>ENGINEER/ENGR II</p>	<p>PREPARED BY:</p>  <p>ENGR. MARLOU V. PIRAS</p>	<p>PROJECT</p> <p>CONSTRUCTION OF COLLECTIVE COMUNITAL OR LOCALITY WATER SUPPLY SYSTEM</p> <p>LOCATION:</p> <p>INTD BUCAR, WAGAYAN, GUINIGAY, GENERAL SERRANO</p>	<p>CHECKED BY:</p>  <p>ENGR. VICTORIO BENIGNO MANZAN</p> <p>Municipal Engineer</p>	<p>VERIFIED BY:</p>  <p>CESAR S. SEMILLA JR., CPA</p> <p>MIPC</p>	<p>APPROVED BY:</p>  <p>HON. HERMAN D. RODECERO</p> <p>MUNICIPAL MAYOR</p>	<p>SHEET NUMBER</p> <p>1 - 1</p>
---	--	---	--	--	---	----------------------------------



- ALL PLUMBING WORKS SHALL BE EXECUTED IN ACCORDANCE TO THE PROVISIONS OF THE PLUMBING PLUMBING CODE, THE NATIONAL BUILDING CODE, AND THE RULES AND REGULATIONS OF THE LOCAL AUTHORITY.
2. COORDINATE THESE DRAININGS WITH THE OTHER RELATED DRAININGS AND SPECIFICALLY COORDINATE THE SANITARY ENGINEER, MAINTENANCE, OR ANY OTHER AGENCY FOR PROPER ADJUSTMENT AND COORDINATION.
3. ALL PIPES SHALL BE INSTALLED AS INDICATED, ANY RELOCATION REQUIRED FOR PROPER EXECUTION WITH THE OTHER TRADES SHALL BE WITH THE PRIOR APPROVAL OF THE ARCHITECT OR ENGINEER.
4. PROPOSED SANITARY UTILITIES SHALL CONFORM TO THE ACTUAL LOCATION, DEPTH, AND INVERT ELEVATIONS OF ALL EXISTING UTILITIES AS VERIFIED BY THE CONTRACTOR.
5. SLOPES FOR HORIZONTAL DRAINAGE SHALL MAINTAIN A MINIMUM 1% SLOPE UNLESS OTHERWISE SPECIFIED.
6. SIZE OF WATER SUPPLY PIPE FOR THE FIXTURES SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS AND INSTRUCTIONS.
7. WATER LINES SHALL BE RESISTORUBLE SCHEDULE 40.
8. DOWNSPUTS SHALL BE POLYVINYL CHLORIDE (PVC)
9. ALL WORKS AND INSTALLATION SHALL BE UNDER THE DIRECT SUPERVISION OF A DULY REGISTERED AND LICENSED MASTER PLUMBER OR SANITARY ENGINEER.

 $\oplus$ 

WC	WATER CLOSET	—H—OOD	
LAV	LAVATORY	—H—WOD	
KB	KITCHEN SINK	—H—OOD	W/ 3/8" TRAP W/ 1/2" HO"
F.D.	FLOOR DRAIN	WTH	
SPO	SPOON	ST	SEWING TANK
SV	WATER CLOSET	CS	CATCH BASIN
F	Faucet	H	HOSE BIB
WATER	PVC RIGID PIPE	W	WATER METER
—	PVC PLUMBING PIPE		GATE VALVE
—	COLD WATER LINE		ORIGIN VALVE
—			
CS	DOWNDRAFT		

1965

PAID BY: 21

## PROJECT

12

**COPYRIGHT BY**

3

VERIFIED BY: BY:

1

APPENDIX B

5

SHEET NUMBER

# NOTES


1. ALL ELECTRICAL WORKS SHALL CONFORM WITH THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE, THE LOCAL GOVERNMENT ORDINANCE, THE LOCAL GOVERNMENT ACT, AND THE LOCAL GOVERNMENT ORDER, OVER THE PROJECT & THE REQUIREMENTS OF THE LOCAL POWER COMPANY.
2. THE ELECTRICAL WORK SHALL BE DONE IN WIRE CONDUITS FOR NETWORKING INSTALLATION AND FOR CONDUITS AND WATERSHEDS.
3. ALL MATERIALS SHALL BE NEW & APPROVED TYPE & QUALITY FOR BOTH LOCAL AND INTERNATIONAL STANDARDS.
4. MATERIALS REQUIRED & NECESSARY JUNCTION BOXES & WALL BOXES SHALL BE INSTALLED IN AN APPROPRIATE LOCATION AT THE DESIGNER'S DISCRETION AND NOT BE SUBJECT TO ANY.
5. ALL SWITCHES SHALL BE INSTALLED 1.5M ABOVE THE FINISHED FLOOR LINE.
6. ALL HEAVY EQUIPMENT SHALL BE KEPT 1.5M EFFECTIVELY PROTECTED.
7. CONDUIT AND WATERSHEDS SHALL NOT BE SMALLER THAN 15 MM THICK.
8. THE ELECTRICAL WORK SHALL BE DONE UNDER THE DIRECT SUPERVISION OF A QUALIFIED ENGINEER OR MASTER ELECTRICIAN.
9. THE ELECTRICAL WORK SHALL BE COORDINATED WITH THE EXISTING UTILITIES & OTHER ELECTRICAL WORKS IN ORDER TO AVOID COLLISIONS IN CASE THERE ARE INCONVENIENCES TO ANY EXISTING WORK & MATERIALS & LOCATION OF EQUIPMENT & MATERIALS SHALL BE VERIFIED WITH THE OWNER OR ANY OF HIS REPRESENTATIVES & SUCH CHANGES IF ANY SHALL BE EFFECTED IMMEDIATELY.

## LEGEND:

- ☼ CHANDELLIER
- ☼ 40W FLUORESCENT LAMP
- ☼ PIN LIGHT
- ☼ WALL LIGHT
- ☼ SINGLE GANG SWITCH
- ☼ DOUBLE GANG SWITCH (switched inlets)
- ☼ TRIPLE GANG SWITCH (switched inlets)
- ☼ HOME RUN
- ☼ CONVENIENCE OUTLET
- ☼ WATER HEATER
- ☼ AIR-CON UNIT OUTLET
- ☼ TELEPHONE OUTLET
- ☼ CABLE TV ANTENNA
- ☼ POWER SERVICE ENTRANCE
- ☼ GROUNDING
- ☼ CIRCUIT BREAKER
- ☼ PUSH BUTTON
- ☼ DOOR BELL
- ☼ ELECTRICAL PANEL
- ☼ KILOWATT HOUR METER


## COMPUTATION OF LOADS AND DESCRIPTION

Fig. 1			
LOAD DESCRIPTION		LOADS	
UNIT WATTS		AMPS	
NO.		TOTAL	
1	1000	2.2	2.2
2	1000	2.2	2.2
3	1000	2.2	2.2
4	1000	2.2	2.2
TOTAL		8.8	8.8



LIGHTING & POWER LAYOUT  
SCALE: 1/100

## PANEL DIAGRAM



## VICINITY MAP

DESIGNED BY  ENGINEER	CHECKED BY  SENIOR ENGINEER	APPROVED BY  PROJECT MANAGER	SHEET NUMBER 1
-----------------------------	-----------------------------------	------------------------------------	-------------------

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class “A” Documents*

#### Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**Or**
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**And**
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**And**
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- ☐ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- ☐ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (j) Original duly signed Omnibus Sworn Statement (OSS);  
**and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- ☐ (k) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- ☐ (l) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);

**or**

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

***Class “B” Documents***

- ☐ (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

**or**

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

**Other documentary requirements under RA No. 9184 (as applicable)**

- ☐ (n) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**25 FINANCIAL COMPONENT ENVELOPE**

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

