



	Gear Shift Pattern: at least 5-Speed, Constant Mesh (N-1-2-3-4-5)								
	Suspension Type (Front): Telescopic								
	Suspension Type (Rear): Twin								
	Brake Type (Front): Mechanical Leading Trailing (Drum)								
	Brake Type (Rear): Mechanical Leading Trailing (Drum)								
	Tire Size and Type (Front): at least 80/100 - 18 M/C 47P (With Tube)								
	Tire Size & Type (Rear): at least 90/90 - 18 M/C 51P (With Tube)								
	Wheel Type: Wire Spoke								
	Overall Dimensions: at least L x W x H: 2,038 x 766 x 1,065 (mm)								
	Curb Weight: at least 127 kg								
	Seat Height: at least 782 mm								
	Ground Clearance: at least 163 mm								
	Fuel Tank Capacity: at least 10.3 L								
	Battery Type: at least 12V - 6Ah MF-Dry								
	Sidecar: Galvanize Body and Semi stainless Flooring								
	FREE:								
	Helmet, Jacket, LTO Registration and at least 1 year warranty, TPL Insurance, Tricycle Kit								
<b>TOTAL AMOUNT IN NUMBERS</b>									-
<b>TOTAL AMOUNT IN WORDS</b>									

**Summary of Bid Prices**

*The Procuring Entity may modify the table below as necessary to comply with the requirements of the Procurement Project.*

1	2	3	4
---	---	---	---

Item No.	Item	Particulars / Description	Total Amount
1	9 units	Brand New Tricycle Engine Type: at least 4-Stroke, SOHC, Air-Cooled Displacement: at least 149 cc Bore & Stroke: at least 57.3 x 57.8 mm Compression Ratio: at least 9.1 : 1 Maximum Power: at least 8.26 kW @ 7,500 rpm Maximum Torque: at least 11.61 N.m @ 5,000 rpm Starting System: Electric & Kick Engine Oil Capacity: at least 1.2L Fuel System: Carburetor Fuel Consumption: at least 44.6 km/L (WMTC) Transmission Type: Manual Gear Shift Pattern: at least 5-Speed, Constant Mesh (N-1-2-3-4-5) Suspension Type (Front): Telescopic Suspension Type (Rear): Twin Brake Type (Front): Mechanical Leading Trailing (Drum) Brake Type (Rear): Mechanical Leading Trailing (Drum) Tire Size and Type (Front): at least 80/100 - 18 M/C 47P (With Tube) Tire Size & Type (Rear): at least 90/90 - 18 M/C 51P (With Tube) Wheel Type: Wire Spoke Overall Dimensions: at least L x W x H: 2,038 x 766 x 1,065 (mm) Curb Weight: at least 127 kg Seat Height: at least 782 mm Ground Clearance: at least 163 mm Fuel Tank Capacity: at least 10.3 L	

Battery Type: at least 12V - 6Ah MF-Dry

Sidecar: Galvanize Body and Semi stainless Flooring

FREE:

Helmet, Jacket, LTO Registration and at least 1 year warranty, TPL Insurance,  
Tricycle Kit

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly Authorized to Sign Bid for and on Behalf of : \_\_\_\_\_